

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Caleb Pollack on June 25, 2008.

The application has been amended as follows:

IN THE CLAIMS:

Claim 7, Line 1, "pump", first occurrence, has been deleted;

Claim 10, Line 1, "claim 7" has been changed to --claim 9--.

The above changes to the claims have been made to obviate rejections under 35 U.S.C. 112 2nd paragraph.

Drawings

The drawings were received on May 27, 2008. These drawings are acceptable.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL LESLIE whose telephone number is (571)272-4819. The examiner can normally be reached on M-F 8:00am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ML
June 27, 2008

**/Michael Leslie/
Primary Examiner, Art Unit 3745**